

TABULATION REGISTER

1ST PROFESSIONAL MBBS EXAMINATION (REGULAR) BATCH 2024-25																						
SAHEED LAXMAN NAYAK MEDICAL COLLEGE & HOSPITAL, KORAPUT																						
	Roll No. / Regd. No.	ANATOMY						Honours	PHYSIOLOGY					Honours	BIOCHEMISTRY					Honours	Pass / Fail	Total
			PAPER 1	PAPER 2	TOTAL	PRAC	TOTAL		PAPER 1	PAPER 2	TOTAL	PRAC	TOTAL		PAPER 1	PAPER 2	TOTAL	PRAC	TOTAL			
			TH	TH					TH	TH					TH	TH						
		FM	100	100	200	100	300		100	100	200	100	300		100	100	200	100	300			
		PM			80	40	150				80	40	150				80	40	150			
1	24BM115001		64	64	128	76	204		68	68	136	78	214		77	57	134	79	213		Pass	631
2	24BM115002		59	58	117	75	192		76	72	148	73	221		77	65	142	82	224		Pass	637
3	24BM115003		47	60	107	60	167		75	66	141	63	204		67	52	119	73	192		Pass	563
4	24BM115004		45	36	81	58	139		68	50	118	65	183		51	51	102	65	167		Fail	489
5	24BM115005		54	54	108	68	176		65	61	126	65	191		59	53	112	73	185		Pass	552
6	24BM115006		68	72	140	77	217		78	72	150	72	222	H	79	61	140	82	222		Pass	661
7	24BM115007		50	56	106	62	168		67	66	133	65	198		67	58	125	68	193		Pass	559
8	24BM115008		40	35	75	52	127		27	38	65	54	119		43	43	86	52	138		Fail	384
9	24BM115009		47	62	109	61	170		60	59	119	67	186		58	58	116	68	184		Pass	540
10	24BM115010		41	64	105	64	169		74	68	142	67	209		75	53	128	77	205		Pass	583
11	24BM115011		49	64	113	74	187		70	64	134	67	201		74	54	128	73	201		Pass	589
12	24BM115012		51	61	112	73	185		65	60	125	67	192		69	53	122	70	192		Pass	569
13	24BM115013		50	58	108	66	174		69	63	132	75	207		60	48	108	77	185		Pass	566
14	24BM115014		30	41	71	52	123		53	56	109	73	182		54	41	95	74	169		Fail	474
15	24BM115015		64	72	136	76	212		74	67	141	79	220		86	58	144	84	228		Pass	660
16	24BM115016		48	60	108	62	170		59	53	112	74	186		58	45	103	68	171		Pass	527
17	24BM115017		49	65	114	61	175		74	57	131	73	204		77	56	133	69	202		Pass	581
18	24BM115018		53	62	115	66	181		64	66	130	76	206		62	52	114	72	186		Pass	573
19	24BM115019		53	60	113	69	182		72	66	138	76	214		68	52	120	76	196		Pass	592
20	24BM115020		42	60	102	62	164		68	63	131	72	203		63	57	120	75	195		Pass	562
21	24BM115021		46	50	96	67	163		52	52	104	79	183		57	45	102	75	177		Pass	523
22	24BM115022		49	56	105	61	166		60	65	125	75	200		58	57	115	68	183		Pass	549
23	24BM115023				0		0				0		0				0		0		Fail	0
24	24BM115024		54	55	109	65	174		71	67	138	85	223		69	57	126	87	213		Pass	610
25	24BM115025		33	31	64	56	120		55	51	106	72	178		45	44	89	57	146		Fail	444
26	24BM115026		40	41	81	55	136		67	62	129	65	194		61	52	113	62	175		Fail	505
27	24BM115027		48	47	95	71	166		71	56	127	70	197		67	48	115	77	192		Pass	555
28	24BM115028		53	59	112	60	172		64	58	122	77	199		62	45	107	68	175		Pass	546
29	24BM115029		50	58	108	68	176		67	58	125	74	199		53	44	97	65	162		Pass	537
30	24BM115030		53	56	109	61	170		61	58	119	66	185		64	50	114	72	186		Pass	541
31	24BM115031		34	40	74	50	124		46	50	96	65	161		55	40	95	56	151		Fail	436
32	24BM115032		48	64	112	70	182		64	67	131	75	206		59	55	114	77	191		Pass	579
33	24BM115033		51	56	107	63	170		55	50	105	65	170		55	42	97	67	164		Pass	504
34	24BM115034		56	37	93	73	166		65	61	126	79	205		63	45	108	72	180		Pass	551
35	24BM115035		67	54	121	65	186		70	64	134	71	205		68	54	122	74	196		Pass	587
36	24BM115036		52	46	98	66	164		71	58	129	80	209		59	42	101	73	174		Pass	547
37	24BM115037		53	62	115	72	187		80	64	144	82	226		77	53	130	84	214		Pass	627
38	24BM115038		59	55	114	71	185		71	63	134	78	212		79	56	135	79	214		Pass	611
39	24BM115039		52	52	104	65	169		62	61	123	72	195		74	53	127	70	197		Pass	561
40	24BM115040		67	62	129	75	204		76	68	144	77	221		69	52	121	77	198		Pass	623
41	24BM115041		56	57	113	72	185		65	61	126	68	194		57	47	104	73	177		Pass	556
42	24BM115042		58	55	113	75	188		78	63	141	75	216		65	52	117	78	195		Pass	599
43	24BM115043		55	63	118	67	185		58	59	117	65	182		62	48	110	75	185		Pass	552
44	24BM115044		67	62	129	70	199		77	68	145	72	217		76	60	136	69	205		Pass	621
45	24BM115045			26	26	59	85		48	50	98	68	166		34	40	74	41	115		Fail	366

46	24BM115046		41	38	79	65	144		71	59	130	66	196		48	46	94	64	158		Fail	498
47	24BM115047		54	56	110	75	185		71	63	134	80	214		72	58	130	81	211		Pass	610
48	24BM115048		48	34	82	66	148		59	52	111	66	177		57	48	105	61	166		Fail	491
49	24BM115049		56	58	114	73	187		63	59	122	78	200		69	57	126	74	200		Pass	587
50	24BM115050		50	49	99	74	173		73	59	132	75	207		75	59	134	81	215		Pass	595
51	24BM115051		59	55	114	84	198		76	64	140	85	225		72	60	132	82	214		Pass	637
52	24BM115052		50	38	88	71	159		70	60	130	72	202		60	50	110	74	184		Pass	545
53	24BM115053		66	60	126	78	204		65	71	136	75	211		61	54	115	72	187		Pass	602
54	24BM115054		60	67	127	72	199		73	64	137	78	215		64	56	120	82	202		Pass	616
55	24BM115055		58	55	113	69	182		71	64	135	77	212		63	46	109	70	179		Pass	573
56	24BM115056		46	48	94	73	167		77	62	139	74	213		63	44	107	76	183		Pass	563
57	24BM115057		49	44	93	59	152		60	59	119	75	194		64	43	107	72	179		Pass	525
58	24BM115058		50	45	95	68	163		70	61	131	73	204		69	49	118	71	189		Pass	556
59	24BM115059		57	53	110	78	188		74	62	136	78	214		70	56	126	83	209		Pass	611
60	24BM115060		46	45	91	59	150		50	53	103	57	160		54	47	101	56	157		Pass	467
61	24BM115061		49	55	104	64	168		59	56	115	71	186		50	48	98	74	172		Pass	526
62	24BM115062		51	55	106	77	183		60	53	113	67	180		44	45	89	66	155		Pass	518
63	24BM115063		42	49	91	64	155		51	55	106	68	174		44	40	84	64	148		Fail	477
64	24BM115064		50	57	107	71	178		63	56	119	74	193		59	50	109	65	174		Pass	545
65	24BM115065		67	64	131	86	217		71	61	132	78	210		72	49	121	84	205		Pass	632
66	24BM115066		51	49	100	68	168		64	59	123	77	200		67	50	117	79	196		Pass	564
67	24BM115067		44	49	93	62	155		67	56	123	85	208		65	50	115	78	193		Pass	556
68	24BM115068		47	57	104	70	174		61	56	117	72	189		67	51	118	75	193		Pass	556
69	24BM115069		59	58	117	72	189		63	59	122	73	195		60	54	114	71	185		Pass	569
70	24BM115070		68	69	137	89	226		72	62	134	91	225		72	59	131	76	207		Pass	658
71	24BM115071		72	68	140	76	216		73	66	139	76	215		72	69	141	81	222		Pass	653
72	24BM115072		42	41	83	65	148		69	54	123	73	196		67	53	120	77	197		Fail	541
73	24BM115073		62	63	125	82	207		70	54	124	68	192		70	57	127	84	211		Pass	610
74	24BM115074		66	60	126	84	210		68	66	134	72	206		68	51	119	79	198		Pass	614
75	24BM115075		55	57	112	74	186		65	63	128	76	204		65	55	120	75	195		Pass	585
76	24BM115076		46	46	92	73	165		55	59	114	76	190		57	51	108	72	180		Pass	535
77	24BM115077		51	53	104	71	175		52	57	109	68	177		67	53	120	81	201		Pass	553
78	24BM115078		65	68	133	82	215		73	60	133	82	215		72	57	129	90	219		Pass	649
79	24BM115079		55	50	105	75	180		55	57	112	78	190		55	48	103	67	170		Pass	540
80	24BM115080				0		0				0		0				0		0		Fail	0
81	24BM115081		59	65	124	71	195		61	65	126	72	198		68	56	124	66	190		Pass	583
82	24BM115082		50	57	107	68	175		58	61	119	77	196		53	41	94	70	164		Pass	535
83	24BM115083		38	48	86	75	161		47	55	102	74	176		51	43	94	70	164		Pass	501
84	24BM115084		55	59	114	72	186		60	62	122	77	199		69	44	113	71	184		Pass	569
85	24BM115085		48	44	92	59	151		53	52	105	67	172		64	40	104	65	169		Pass	492
86	24BM115086		57	62	119	77	196		63	53	116	80	196		66	50	116	75	191		Pass	583
87	24BM115087		34	55	89	57	146		49	50	99	66	165		60	47	107	68	175		Fail	486
88	24BM115088		60	62	122	67	189		66	61	127	75	202		58	50	108	68	176		Pass	567
89	24BM115089		62	61	123	76	199		65	61	126	75	201		64	49	113	76	189		Pass	589
90	24BM115090		66	69	135	74	209		72	65	137	79	216		70	56	126	85	211		Pass	636
91	24BM115091		32	26	58	51	109		43	44	87	55	142		31	45	76	54	130		Fail	381
92	24BM115092		34	30	64	51	115		52	40	92	64	156		28	40	68	35	103		Fail	374
93	24BM115093		60	55	115	80	195		79	58	137	79	216		80	54	134	84	218		Pass	629
94	24BM115094		49	26	75	60	135		54	54	108	67	175		54	41	95	68	163		Fail	473
95	24BM115095		65	68	133	79	212		80	63	143	79	222		76	54	130	85	215		Pass	649
96	24BM115096		58	60	118	79	197		68	54	122	83	205		71	45	116	80	196		Pass	598
97	24BM115097		40	37	77	58	135		58	42	100	69	169		58	34	92	66	158		Fail	462
98	24BM115098		44	53	97	66	163		64	57	121	75	196		65	46	111	69	180		Pass	539
99	24BM115099		54	62	116	64	180		64	60	124	74	198		67	47	114	72	186		Pass	564
100	24BM115100		50	58	108	70	178		69	51	120	79	199		72	53	125	80	205		Pass	582
101	24BM115101		30	22	52	54	106		43	41	84	64	148		33	26	59	60	119		Fail	373
102	24BM115102		61	51	112	70	182		72	58	130	73	203		70	49	119	78	197		Pass	582
103	24BM115103		68	48	116	70	186		59	62	121	75	196		75	50	125	76	201		Pass	583

104	24BM115104		40	35	75	62	137		45	51	96	65	161		48	46	94	69	163		Fail	461
105	24BM115105		69	64	133	84	217		84	65	149	63	212		78	53	131	89	220		Pass	649
106	24BM115106		53	56	109	71	180		69	53	122	78	200		66	47	113	76	189		Pass	569
107	24BM115107		42	35	77	63	140		65	41	106	64	170		53	43	96	60	156		Fail	466
108	24BM115108		35	28	63	59	122		44	36	80	66	146		48	40	88	52	140		Fail	408
109	24BM115109		50	48	98	68	166		67	51	118	74	192		58	41	99	74	173		Pass	531
110	24BM115110		54	46	100	70	170		59	50	109	71	180		59	43	102	66	168		Pass	518
111	24BM115111		58	57	115	79	194		60	65	125	74	199		74	54	128	80	208		Pass	601
112	24BM115112		60	51	111	77	188		68	59	127	72	199		81	61	142	76	218		Pass	605
113	24BM115113		45	45	90	64	154		50	59	109	78	187		62	45	107	75	182		Pass	523
114	24BM115114		64	66	130	81	211		72	57	129	83	212		73	49	122	87	209		Pass	632
115	24BM115115		55	52	107	65	172		60	55	115	74	189		76	55	131	82	213		Pass	574
116	24BM115116		52	53	105	79	184		52	57	109	72	181		60	50	110	72	182		Pass	547
117	24BM115117		44	44	88	75	163		57	50	107	71	178		73	48	121	79	200		Pass	541
118	24BM115118		55	58	113	72	185		71	54	125	69	194		73	53	126	76	202		Pass	581
119	24BM115119		47	65	112	70	182		66	50	116	76	192		73	52	125	73	198		Pass	572
120	24BM115120		52	48	100	67	167		66	50	116	69	185		63	46	109	74	183		Pass	535
121	24BM115121		67	51	118	77	195		60	59	119	69	188		71	49	120	78	198		Pass	581
122	24BM115122		62	45	107	77	184		66	56	122	68	190		60	43	103	72	175		Pass	549
123	24BM115123		67	64	131	79	210		69	59	128	75	203		63	48	111	77	188		Pass	601
124	24BM115124				0		0				0		0				0		0		Fail	0
125	24BM115125		36	50	86	67	153		53	50	103	75	178		53	45	98	74	172		Pass	503