

TABULATION REGISTER

1ST PROFESSIONAL MBBS EXAMINATION (REGULAR) BATCH 2024-25 DHARANIDHAR MEDICAL COLLEGE & HOSPITAL, KEONJHAR

	Roll No. / Regd. No.	ANATOMY						Honours	PHYSIOLOGY					Honours	BIOCHEMISTRY					Honours		Total
			PAPER 1	PAPER 2	TOTAL	PRAC	TOTAL		PAPER 1	PAPER 2	TOTAL	PRAC	TOTAL		PAPER 1	PAPER 2	TOTAL	PRAC	TOTAL			
		TH	TH	TH					TH	TH					TH	TH					TH	
		FM	100	100	200	100	300		100	100	200	100	300		100	100	200	100	300			
		PM			80	40	150			80	40	150			80	40	150			Pass / Fail		
1	24BM126001		41	41	82	63	145		61	50	111	75	186		48	57	105	66	171		Fail	502
2	24BM126002		40	41	81	60	141		64	52	116	70	186		46	61	107	60	167		Fail	494
3	24BM126003		40	44	84	66	150		66	57	123	73	196		56	65	121	72	193		Pass	539
4	24BM126004		52	62	114	69	183		66	58	124	70	194		49	77	126	61	187		Pass	564
5	24BM126005		40	49	89	65	154		53	60	113	70	183		45	61	106	60	166		Pass	503
6	24BM126006		67	60	127	66	193		66	65	131	73	204		61	78	139	68	207		Pass	604
7	24BM126007		63	58	121	71	192		66	62	128	77	205		54	76	130	72	202		Pass	599
8	24BM126008		65	56	121	71	192		66	60	126	75	201		53	73	126	65	191		Pass	584
9	24BM126009		68	50	118	70	188		66	69	135	72	207		57	80	137	68	205		Pass	600
10	24BM126010		52	41	93	69	162		64	54	118	70	188		53	53	106	65	171		Pass	521
11	24BM126011		60	48	108	70	178		66	55	121	72	193		49	71	120	66	186		Pass	557
12	24BM126012		69	56	125	68	193		66	56	122	72	194		49	70	119	68	187		Pass	574
13	24BM126013		57	52	109	69	178		66	54	120	72	192		47	62	109	72	181		Pass	551
14	24BM126014				0		0				0		0				0		0		Fail	0
15	24BM126015		55	52	107	70	177		61	51	112	74	186		49	64	113	67	180		Pass	543
16	24BM126016		55	50	105	67	172		63	53	116	70	186		46	56	102	68	170		Pass	528
17	24BM126017		59	50	109	68	177		66	61	127	73	200		45	56	101	60	161		Pass	538
18	24BM126018		52	45	97	68	165		64	54	118	76	194		51	62	113	69	182		Pass	541
19	24BM126019		67	55	122	72	194		64	64	128	80	208		55	77	132	77	209		Pass	611
20	24BM126020		53	40	93	61	154		53	57	110	69	179		48	40	88	65	153		Pass	486
21	24BM126021		59	59	118	66	184		66	63	129	71	200		54	70	124	76	200		Pass	584
22	24BM126022		58	54	112	71	183		64	71	135	78	213		59	77	136	77	213		Pass	609
23	24BM126023		51	50	101	70	171		65	56	121	71	192		52	68	120	69	189		Pass	552
24	24BM126024		66	63	129	72	201		66	68	134	82	216		61	79	140	67	207		Pass	624
25	24BM126025		75	49	124	73	197		66	69	135	81	216		60	74	134	78	212		Pass	625
26	24BM126026		64	54	118	71	189		66	58	124	70	194		54	69	123	71	194		Pass	577
27	24BM126027		65	61	126	73	199		66	64	130	73	203		55	73	128	67	195		Pass	597
28	24BM126028		71	55	126	65	191		66	62	128	70	198		54	63	117	66	183		Pass	572
29	24BM126029		68	54	122	69	191		66	58	124	70	194		45	55	100	65	165		Pass	550
30	24BM126030		63	56	119	65	184		66	72	138	68	206		52	61	113	67	180		Pass	570
31	24BM126031		66	54	120	63	183		60	59	119	67	186		46	64	110	66	176		Pass	545
32	24BM126032		75	81	156	76	232	H	68	74	142	78	220		60	77	137	69	206		Pass	658
33	24BM126033		54	58	112	70	182		63	60	123	69	192		48	64	112	72	184		Pass	558
34	24BM126034		53	68	121	70	191		51	61	112	70	182		50	52	102	65	167		Pass	540
35	24BM126035		52	68	120	65	185		62	61	123	72	195		53	69	122	66	188		Pass	568
36	24BM126036		64	75	139	70	209		65	66	131	79	210		65	75	140	70	210		Pass	629
37	24BM126037		66	74	140	74	214		66	66	132	74	206		65	67	132	73	205		Pass	625
38	24BM126038		61	53	114	67	181		63	42	105	72	177		62	47	109	60	169		Pass	527
39	24BM126039		72	65	137	74	211		64	65	129	78	207		65	71	136	65	201		Pass	619
40	24BM126040		59	68	127	68	195		65	60	125	71	196		65	68	133	75	208		Pass	599
41	24BM126041		59	66	125	65	190		65	58	123	65	188		54	61	115	61	176		Pass	554
42	24BM126042		75	76	151	70	221	H	66	69	135	73	208		64	63	127	69	196		Pass	625
43	24BM126043		75	76	151	85	236	H	66	63	129	75	204		68	74	142	73	215		Pass	655
44	24BM126044		44	59	103	62	165		60	57	117	67	184		49	62	111	64	175		Pass	524
45	24BM126045		52	44	96	60	156		60	47	107	70	177		41	41	82	53	135		Fail	468
46	24BM126046		72	72	144	62	206		66	58	124	72	196		56	78	134	70	204		Pass	606
47	24BM126047		60	58	118	65	183		63	51	114	68	182		52	61	113	63	176		Pass	541

48	24BM126048				0		0			0		0				0		0		Fail	0	
49	24BM126049		43	51	94	63	157		56	49	105	69	174		45	61	106	60	166		Pass	497
50	24BM126050		45	63	108	64	172		61	57	118	67	185		46	63	109	61	170		Pass	527
51	24BM126051		56	71	127	66	193		66	57	123	68	191		52	62	114	61	175		Pass	559
52	24BM126052		61	71	132	64	196		66	61	127	71	198		55	72	127	63	190		Pass	584
53	24BM126053		63	62	125	72	197		65	63	128	78	206		60	71	131	64	195		Pass	598
54	24BM126054		54	50	104	60	164		56	50	106	74	180		49	51	100	64	164		Pass	508
55	24BM126055		70	74	144	69	213		66	67	133	74	207		52	59	111	65	176		Pass	596
56	24BM126056		59	64	123	69	192		59	61	120	69	189		49	61	110	64	174		Pass	555
57	24BM126057		79	65	144	70	214		63	67	130	73	203		49	59	108	62	170		Pass	587
58	24BM126058		65	63	128	70	198		66	63	129	71	200		44	62	106	61	167		Pass	565
59	24BM126059		51	75	126	62	188		66	67	133	71	204		58	60	118	61	179		Pass	571
60	24BM126060		60	75	135	70	205		66	69	135	75	210		51	66	117	68	185		Pass	600
61	24BM126061		50	57	107	63	170		66	69	135	71	206		42	40	82	60	142		Fail	518
62	24BM126062		63	70	133	62	195		66	59	125	70	195		48	61	109	64	173		Pass	563
63	24BM126063		50	51	101	60	161		66	60	126	70	196		50	61	111	65	176		Pass	533
64	24BM126064		50	51	101	62	163		58	57	115	68	183		40	58	98	60	158		Pass	504
65	24BM126065		58	52	110	63	173		62	49	111	67	178		41	50	91	60	151		Pass	502
66	24BM126066		80	82	162	71	233	H	66	66	132	78	210		65	63	128	75	203		Pass	646
67	24BM126067		77	78	155	80	235	H	66	69	135	81	216		62	75	137	74	211		Pass	662
68	24BM126068		41	45	86	67	153		38	40	78	65	143		40	43	83	60	143		Fail	439
69	24BM126069		64	40	104	70	174		60	42	102	74	176		42	50	92	73	165		Pass	515
70	24BM126070		58	58	116	70	186		65	59	124	74	198		58	60	118	63	181		Pass	565
71	24BM126071		63	67	130	65	195		66	69	135	75	210		52	69	121	67	188		Pass	593
72	24BM126072		68	78	146	70	216		68	63	131	73	204		60	76	136	63	199		Pass	619
73	24BM126073		46	61	107	66	173		62	66	128	71	199		56	59	115	61	176		Pass	548
74	24BM126074		84	82	166	85	251	H	66	70	136	80	216		73	85	158	81	239	H	Pass	706
75	24BM126075		49	56	105	60	165		64	47	111	67	178		55	49	104	60	164		Pass	507
76	24BM126076		50	60	110	69	179		62	67	129	72	201		57	54	111	68	179		Pass	559
77	24BM126077		58	66	124	65	189		65	49	114	73	187		53	53	106	60	166		Pass	542
78	24BM126078		60	64	124	63	187		60	55	115	67	182		60	58	118	60	178		Pass	547
79	24BM126079		54	74	128	70	198		65	59	124	77	201		67	68	135	66	201		Pass	600
80	24BM126080				0		0			0		0				0		0		Fail	0	
81	24BM126081		56	71	127	70	197		70	62	132	74	206		66	67	133	73	206		Pass	609
82	24BM126082		64	54	118	65	183		65	53	118	69	187		57	57	114	60	174		Pass	544
83	24BM126083		33	34	67	60	127		60	48	108	65	173		56	54	110	60	170		Fail	470
84	24BM126084				0		0			0		0				0		0		Fail	0	
85	24BM126085		49	60	109	70	179		69	61	130	70	200		60	43	103	74	177		Pass	556
86	24BM126086		70	75	145	81	226		67	80	147	79	226		67	80	147	82	229		Pass	681
87	24BM126087		58	57	115	68	183		59	59	118	71	189		58	63	121	71	192		Pass	564
88	24BM126088		57	62	119	63	182		65	61	126	68	194		58	76	134	67	201		Pass	577
89	24BM126089		52	62	114	64	178		64	52	116	67	183		64	56	120	62	182		Pass	543
90	24BM126090		52	61	113	60	173		62	52	114	67	181		57	48	105	60	165		Pass	519
91	24BM126091		62	63	125	68	193		73	68	141	73	214		67	63	130	65	195		Pass	602
92	24BM126092		51	62	113	60	173		72	63	135	70	205		62	57	119	66	185		Pass	563
93	24BM126093		64	73	137	70	207		75	73	148	75	223		68	72	140	72	212		Pass	642
94	24BM126094		76	75	151	73	224	H	73	73	146	76	222		68	77	145	74	219		Pass	665
95	24BM126095		55	52	107	62	169		55	49	104	68	172		43	45	88	60	148		Fail	489
96	24BM126096		66	61	127	65	192		68	62	130	77	207		58	60	118	67	185		Pass	584
97	24BM126097		49	45	94	61	155		66	55	121	70	191		50	54	104	61	165		Pass	511
98	24BM126098		31	35	66	60	126		57	28	85	70	155		29	25	54	60	114		Fail	395
99	24BM126099		69	64	133	70	203		69	73	142	80	222		59	75	134	79	213		Pass	638
100	24BM126100		51	48	99	65	164		59	49	108	70	178		48	51	99	63	162		Pass	504